

SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/5

B223 GLASS WASH

Revision q Revision date 2015-06-16

SECTION 1: Identification of the substance/mixture and	of the company/undertaking
--	----------------------------

1.1. Product identifier

Product name	B223 GLASS WASH
REACH	ALL INGREDIENTS IN THIS FORMULATION HAVE BEEN REGISTERED (WHERE REQUIRED)
	FOR APPLICABLE USES.

1.3. Details of the supplier of the safety data sheet

Company	l	Assured Solutions	Ltd
---------	---	-------------------	-----

Address

Westminster Industrial Estate

Measham Derbyshire **DE12 7DS**

Web www.chemicalsuppliers.uk.com

Telephone +44 (0)1530 272922 Fax +44 (0)1530 272921

Email sales@assuredsolutionsltd.co.uk Email address of the sales@assuredsolutionsltd.co.uk

1.4. Emergency telephone number

competent person

01530 272 922 **Emergency telephone number**

Company ASSURED SOLUTIONS LTD

24hrs

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.1. Classification -	C; R35
1999/45/EC	Symbols: C: Corrosive.
Main hazards	Causes severe burns.

2.1.2. Classification - EC

1272/2008

Skin Corr. 1A: H314;

2.2. Label elements

Hazard pictograms



Signal Word

Hazard Statement

Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.

Precautionary Statement:

P102 - Keep out of reach of children.

Prevention

P260 - Do not breathe dust/fume/gas/mist/vapours/spray.

P264 - Wash thoroughly after handling.

Revision 9 Revision date 2015-06-16

2.2. Label elements

	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement:	P301+P310 - IF SWALLOWED: IF SWALLOWED: Immediately call a POISON CENTER/doctor/ .
Response	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse
	skin with water/shower.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
	P332+P313 - If skin irritation occurs: Get medical advice/attention.
	P337+P313 - If eye irritation persists: Get medical advice/attention.
	P363 - Wash contaminated clothing before reuse.
Precautionary Statement:	P405 - Store locked up.
Storage	
Precautionary Statement:	P501 - Dispose of contents/container to
Disposal	P501 - Dispose of contents/container to rEQUIREMENTS OF LOCAL AUTHORITIES

SECTION 3: Composition/information on ingredients

3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
trisodium nitrilotriacetate	607-620-00-6	5064-31-3	225-768-6		1 - 10%	Carc. Cat. 3; R40 Xn; R22 Xi; R36	
Potassium hydroxide	019-002-00-8	1310-58-3	215-181-3	01-2119487136-33 01-2119487136-33	1 - 10%	Xn; R22 C; R35	
BRIQUEST ADPA 60		2809-21-4		01-2119510391-53	1 - 10%	C; R34	
Sodium hypochlorite, solution% Cl active	017-011-00-1	7681-52-9	231-668-3	01-2119488154-34	0 - 0.5%	C; R34 R31 N; R50	
Sodium hydroxide	011-002-00-6	1310-73-2	215-185-5	01-2119457892-27	0 - 0.5%	C; R35	

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
WATER					70 - 80%		•
trisodium nitrilotriacetate	607-620-00-6	5064-31-3	225-768-6		1 - 10%	Carc. 2: H351; Acute Tox. 4: H302; Eye Irrit. 2: H319;	
Potassium hydroxide	019-002-00-8	1310-58-3	215-181-3	01-2119487136-33 01-2119487136-33	1 - 10%	Acute Tox. 4: H302; Skin Corr. 1A: H314;	
BRIQUEST ADPA 60		2809-21-4		01-2119510391-53	1 - 10%	Met. Corr. 1: H290; Eye Dam. 1: H318;	
Sodium hypochlorite, solution% Cl active	017-011-00-1	7681-52-9	231-668-3	01-2119488154-34	0 - 0.5%	Skin Corr. 1B: H314; Aquatic Acute 1: H400;	
Sodium hydroxide	011-002-00-6	1310-73-2	215-185-5	01-2119457892-27	0 - 0.5%	Skin Corr. 1A: H314;	

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Inhalation of vapour may cause shortness of breath. Move the exposed person to fresh air. Seek medical attention.
Eye contact	Causes burns. Causes severe inflammation and may damage the cornea. Seek medical attention.
Skin contact	Causes burns. Wash off immediately with plenty of soap and water. Remove contaminated
	clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	Ingestion causes burns to the respiratory tract. DO NOT INDUCE VOMITING. If swallowed, seek medical advice immediately and show this container or label.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Use as appropriate: Carbon dioxide (CO2), Dry chemical, Foam.



Revision 9 Revision date 2015-06-16

5.2. Special hazards arising	g from the substance or mixture	
•	Corrosive. Burning produces irritating, toxic	c and obnoxious fumes.
5.3. Advice for firefighters	<u>'</u>	
	Wear suitable respiratory equipment when	necessary.
SECTION 6: Accidental	release measures	
6.1. Personal precautions,	protective equipment and emergency procedures	
	Ensure adequate ventilation of the working protective equipment.	area. Evacuate personnel to a safe area. Wear suitable
6.2. Environmental precaut	ions	
	Do not allow product to enter drains. Preve	ent further spillage if safe.
6.3. Methods and material	for containment and cleaning up	
	Absorb with inert, absorbent material. Tran spillage area thoroughly with plenty of water	sfer to suitable, labelled containers for disposal. Clean er.
SECTION 7: Handling a	nd storage	
7.1. Precautions for safe ha	andling	
	Avoid contact with eyes and skin. Ensure a	adequate ventilation of the working area.
7.2. Conditions for safe sto	rage, including any incompatibilities	
	Keep in a cool, dry, well ventilated area. Ke	eep containers tightly closed.
SECTION 8: Exposure	controls/personal protection	
8.1. Control parameters		
<u> </u>		
8.1.1. Exposure Limit Value	98	
Potassium hydroxide	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 2
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust: WEL 8-hr limit mg/m3 total -	inhalable dust: WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
Sodium hydroxide	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 2
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust: WEL 8-hr limit mg/m3 total	inhalable dust: WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
8.2. Exposure controls		
8.2.1. Appropriate enginee	ring Ensure adequate ventilation of the working	Larea
controls	Ensure adequate ventilation of the working	, u. ou.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Wear chemical protective clothing.

Chemical resistant gloves (PVC).

Wear:. Self-contained breathing apparatus.

Approved safety goggles.

8.2.2. Individual protection

Eye / face protection

Skin protection -

Handprotection
Respiratory protection

measures

Revision Revision date 2015-06-16

9.1. Information on basic physical and chemical properties

Appearance Liquid

Colour Colourless

Odour Mild

рΗ

Initial boiling point 100

13.5 NOMINAL

Relative density 1.075 NOMINAL

SECTION 10: Stability and reactivity

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Alkali metals. Strong acids

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Skin corrosion/irritation Causes burns.

SECTION 12: Ecological information

12.2. Persistence and degradability

DETERGENTS IN THIS FORMULATION ARE >90% BIODEGRADABLE. Inorganic materials are inherently not boidegradable however those present in this formulation/product are either of no known significant environmetal hazard or are readilly neutralised to form inert salts

SECTION 13: Disposal considerations

General information

Dispose of in compliance with all local and national regulations.

SECTION 14: Transport information

Hazard pictograms



14.1. UN number

UN1814

14.2. UN proper shipping name

POTASSIUM HYDROXIDE, SOLUTION

14.3. Transport hazard class(es)

ADR/RID	
Subsidiary risk	-
IMDG	8
Subsidiary risk	
IATA	8

14.4. Packing group

Subsidiary risk

Packing group Ш



Revision 9 Revision date 2015-06-16

14.5. Environmental hazards	
Environmental hazards	No
Marine pollutant	No
ADR/RID	
Hazard ID	80
Tunnel Category	(E)
IMDG	
EmS Code	F-A S-B
IATA	
Packing Instruction (Cargo)	855
Maximum quantity	30 L
Packing Instruction	851
(Passenger)	
Maximum quantity	1L

SECTION 15: Regulatory information

15.2. Chemical safety assessment

No chemical Safety assessment has been carried out by the supplier.

SECTION 16: Other information

Other information

Revision	This document differs from the previous version in the following areas:.
	2 - Precautionary Statement: Response.
	2 - Precautionary Statement: Disposal.
Text of risk phrases in Section	R22 - Harmful if swallowed.
3	R31 - Contact with acids liberates toxic gas.
	R34 - Causes burns.
	R35 - Causes severe burns.
	R36 - Irritating to eyes.
	R40 - Limited evidence of a carcinogenic effect.
	R50 - Very toxic to aquatic organisms.
Text of Hazard Statements in	Acute Tox. 4: H302 - Harmful if swallowed.
Section 3	Eye Irrit. 2: H319 - Causes serious eye irritation.
	Carc. 2: H351 - Suspected of causing cancer .
	Met. Corr. 1: H290 - May be corrosive to metals.
	Eye Dam. 1: H318 - Causes serious eye damage.
	EUH031 - Contact with acids liberates toxic gas.
	Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.
	Aquatic Acute 1: H400 - Very toxic to aquatic life.
	Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.
Further information	

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

